## Amendments to the Claims:

- 1-57. (canceled)
- 58. (currently amended) An isolated nucleic acid <u>encoding a polypeptide</u> having at least 80% <del>nucleic acid</del> sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEO ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (d) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 23 (SEQ ID NO:58);
- [[(f)]] (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58); or
- [[(g)]] (f) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209616, wherein the encoded polypeptide induces chondrocyte redifferentiation.
- 59. (currently amended) The isolated nucleic acid of Claim 58 encoding a polypeptide having at least 85% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);

- (d) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 23 (SEQ ID NO:58);
- [[(f)]] (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58); or
- [[(g)]] (f) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209616, wherein the encoded polypeptide induces chondrocyte redifferentiation.
- 60. (currently amended) The isolated nucleic acid of Claim 58 encoding a polypeptide having at least 90% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (d) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 23 (SEQ ID NO:58);
- [[(f)]] (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58); or
- [[(g)]] (f) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209616, wherein the encoded polypeptide induces chondrocyte redifferentiation.
- 61. (currently amended) The isolated nucleic acid of Claim 58 encoding a polypeptide having at least 95% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (d) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 23 (SEQ ID NO:58);
- [[(f)]] (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58); or
- [[(g)]] (f) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209616, wherein the encoded polypeptide induces chondrocyte redifferentiation.
- 62. (currently amended) The isolated nucleic acid of Claim 58 encoding a polypeptide having at least 99% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (d) a nucleic acid sequence encoding the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 23 (SEQ ID NO:58);

- [[(f)]] (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58); or
- [[(g)]] (f) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209616, wherein the encoded polypeptide induces chondrocyte redifferentiation.
  - 63. (currently amended) An isolated nucleic acid comprising:
- (a) a nucleic acid sequence encoding the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59)
- (b) a nucleic acid sequence encoding the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide;
  - (e) the nucleic acid sequence shown in Figure 23 (SEQ ID NO:58);
- [[(f)]] (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58); or
- [[(g)]] (f) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209616.
- 64. (currently amended) The isolated nucleic acid of Claim 63 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59).
- 65. (currently amended) The isolated nucleic acid of Claim 63 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide.

- 66. (currently amended) The isolated nucleic acid of Claim 63 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59).
- 67. (currently amended) The isolated nucleic acid of Claim 63 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide of SEQ ID NO:59 shown in Figure 24 (SEQ ID NO:59), lacking its associated signal peptide.
- 68. (currently amended) The isolated nucleic acid of Claim 63 comprising the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58).
- 69. (currently amended) The isolated nucleic acid of Claim 63 comprising the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:58 shown in Figure 23 (SEQ ID NO:58).
- 70. (previously presented) The isolated nucleic acid of Claim 63 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 209616.
  - 71. (canceled)
  - 72. (canceled)
  - 73. (canceled)
  - 74. (previously presented) A vector comprising the nucleic acid of Claim 58.
- 75. (previously presented) The vector of Claim 74, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.
  - 76. (currently amended) An isolated host cell comprising the vector of Claim 74.
- 77. (currently amended) The <u>isolated</u> host cell of Claim 76, wherein said cell is a CHO cell, an *E. coli* or a yeast cell.

- 78. (new) An isolated nucleic acid molecule consisting of an at least 30 nucleotide fragment of the nucleic acid sequence of SEQ ID NO:58, or a complement thereof, that specifically hybridizes under stringent conditions to:
  - (a) the nucleic acid sequence of SEQ ID NO:58 or a complement thereof;
- the full-length coding sequence of the cDNA deposited under ATCC accession number 209616 or a complement thereof; wherein, said stringent conditions use 50% formamide, 5 x SSC, 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5x Denhardt's solution, sonicated salmon sperm DNA (50  $\mu$ g/ml), 0.1% SDS, and 10% dextran sulfate at 42 °C, with washes at 42 °C in 0.2 x SSC and 50% formamide at 55 °C, followed by a wash comprising of 0.1 x SSC containing EDTA at 55 °C, wherein said isolated nucleic acid molecule is suitable for use as a primer or probe.
- 79. (new) The isolated nucleic acid molecule of Claim 78 that is at least 50 nucleotides in length.
- 80. (new) The isolated nucleic acid molecule of Claim 78 that is at least 60 nucleotides in length.
- 81. (new) The isolated nucleic acid molecule of Claim 78 that is at least 70 nucleotides in length.
- 82. (new) The isolated nucleic acid molecule of Claim 78 that is at least 80 nucleotides in length.
- 83. (new) The isolated nucleic acid molecule of Claim 78 that is at least 90 nucleotides in length.
- 84. (new) The isolated nucleic acid molecule of Claim 78 that is at least 100 nucleotides in length.